

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

SHORT E-QUOTATION NOTICE

Through e-procurement mode only <https://eproc2.bihar.gov.in>

Chanakya National Law University, Patna invites Short E-Quotation in single bid system from registered contractors / reputed firms / manufacturers / Dealers / Distributors for rates of Non-Schedule items of Civil Work, Electrical Work, IT related works and Furniture etc.

1.	Name of the Work	:	Refurbishment and modernization of the existing library to integrate additional programmatic components, including breakout spaces, exhibition area, faculty room etc.
2.	Cost of Document (Non-Refundable)	:	NIL
3.	Earnest Money Deposit	:	NIL
4.	E-Tender Processing Fee	:	As per Eproc2 website
5.	Time of Completion	:	NIL
6.	Bid Start Date	:	From 09.09.2026
7.	Last Date & Time for Uploading of Bids	:	15.09.2026 till 03:00 pm.
8.	Date & Time of Opening of Bid	:	15.09.2026 at 03:30 pm.
9.	Place of Opening of Bid	:	Registrar's Chamber
10.	Periods of Bids Validity	:	120 Days
11.	Officer inviting Bids	:	The Registrar, CNLU, Patna.
12.	For participation in E-tendering proc. The contractor shall have to get themselves registered to get User ID, Password & Digital Signature. This will enable accessing the website https://eproc2.bihar.gov.in & download / Participate in E-Tender.		
13.	The tender document can be obtained through our website https://eproc2.bihar.gov.in & https://www.cnlu.ac.in		
14.	The CNLU does not take any responsibilities for the delay /Non availability of internet connection, Network Traffic / Holidays or any other reasons."		
15.	The authority shall have to right to reject the bid without assigning any reason what so ever. For any information department Contact No. 0612-2352300 may be used.		
16.	For queries and clarifications, if any send e-mail to tender-enquiry@cnlu.ac.in		
17.	For support related to the e-tendering process, bidders may contact "e-procurement HELP DESK, mjunction services limited RJ Complex, 2 nd Floor, Canara Bank Campus, Khajpura, Ashiana Road, P.S. –Shastri Nagar, Patna-800014, Bihar, Contact No. 18005726571.		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

NAME OF WORK: Refurbishment and modernization of the existing library to integrate additional programmatic components, including breakout spaces, exhibition area, faculty room etc.

<i>Item No.</i>	<i>Particular of Items</i>	<i>Qty.</i>	<i>Unit</i>	<i>Rate in Figure</i>	<i>Amount Words</i>
01	FURNITURE ITEMS: - Providing, supplying, assembling and fixing Floor Standing Single-sided modular Library Storage Rack comprising one starter unit with one add-on end unit, forming a continuous modular book-storage arrangement with vertical end panels and horizontal book-storage shelves suitable for systematic storage and display of library books, magazines and other reading materials. The rack shall comprise engineered particle board and M.S. (mild steel) structural/supporting components with suitable edge banding, shelf supports, structural members, hardware, fasteners and all necessary accessories for complete assembly and installation. The starter unit shall be 1095 mm (W) × 370 mm (D) × 1975 mm (H) and the add-on end unit shall be 1095mm + 900 mm (W) × 370 mm (D) × 1950 mm (H), complete with assembly, installation, levelling and fixing at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
02	Providing, supplying, assembling and fixing Floor Standing Single-sided modular Library Storage Rack comprising one starter unit with one add-on end unit, forming a continuous modular book-storage arrangement with vertical end panels and horizontal book-storage shelves suitable for systematic storage and display of library books, magazines and other reading materials. The rack shall comprise engineered particle board and M.S. (mild steel) structural/supporting components with suitable edge banding, shelf supports, structural members, hardware, fasteners and all necessary accessories for complete assembly and installation. The starter unit shall be 1095 mm (W) × 700 mm (D) × 1975 mm (H) and the add-on end unit shall be 1095mm + 900 mm (W) × 700 mm (D) × 1950 mm (H), complete with assembly, installation, levelling and fixing at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

03	Providing, supplying, assembling and fixing magazine display/storage rack, floor-standing type, comprising vertical side/end panels with multiple open and individually divided compartments, provided with inclined/angled front display panels for convenient visibility and easy access to magazines, journals, brochures, activity sheets and other reading material; fabricated from high-quality engineered wood/particle board, finished with Urban Teak laminate, with suitable edge banding and neatly finished exposed edges, complete with all necessary shelves, internal dividers, supports, hardware, fasteners and accessories. The rack shall be provided with Moon Light Grey powder-coated finish to applicable M.S. (mild steel) metal/supporting components, wherever provided, and shall be complete with assembly, installation, levelling and fixing at site. Overall dimensions: 900 mm (L) × 450 mm (D) × 1830 mm (H), as per approved drawings, manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
04	Providing, supplying, assembling and fixing Multipurpose Storage Rack, floor-standing open type, comprising vertical side panels and multiple open cubby-style storage compartments suitable for systematic storage of books, supplies, bags, sports equipment, classroom materials and other miscellaneous items. The unit shall be constructed with particle board components finished in Urban Teak laminate, with suitable edge banding and neatly finished exposed edges, and applicable M.S. (mild steel) structural/supporting components finished with Moon Light Grey powder coating, complete with necessary shelves, internal dividers, supports, hardware, fasteners, levelling arrangement and other required accessories. Overall dimensions: 1500 mm (L) × 500 mm (D) × 2100 mm (H), complete with assembly, installation, levelling and fixing at site, as per approved drawings, manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

05	Providing, supplying, assembling and fixing Curved Vivid Bench-cum-Library Storage Unit, comprising a continuous curved seating arrangement with integrated outward-facing open book-storage shelves and cushioned inner curved seating, suitable for reading, group discussion, interaction and quiet study, with provision for convenient display and accessible storage of books, magazines and learning materials. The unit shall be fabricated from engineered wood/particle board components, with suitable internal supports and neatly finished exposed edges, provided with approved laminate finish, along with necessary structural members, shelving, seating support, cushioning/upholstery, hardware, fasteners, levelling arrangement and other required accessories. The overall curved configuration shall have an outer diameter of Ø3900 mm and inner diameter of Ø1950 mm, with approximately 300 mm depth for the integrated book-storage shelf and 675 mm seating depth, complete with assembly, installation, levelling and fixing at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
06	Providing, supplying, assembling and fixing Library Reading/Study Chair, comprising an ergonomically contoured perforated polymer/plastic backrest for ventilation and comfortable support, fixed PU-coated armrests, cushioned seat with fabric upholstery over foam padding, and foldable and stackable construction for convenient storage. The chair shall be supported on a four-legged M.S. frame/base fitted with smooth-rolling castors/rollers, providing stability and ease of movement, complete with seat and back supports, armrests, leg/frame assembly, castors, hardware, fasteners and other necessary accessories. The chair shall be finished as per manufacturer's standard design and specifications, complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

07	Providing, supplying, assembling and fixing Library/Visitor Chair, comprising an ergonomically contoured backrest with premium breathable mesh, supporting the natural curve of the spine, fixed PU-coated armrests, and cushioned seat with high-density foam and contoured waterfall edge for comfortable seating and improved circulation. The chair shall be supported on a sleek M.S. (mild steel) rod sledge-type base/frame, providing a stable and durable support, complete with seat and back supports, armrests, sledge base, hardware, fasteners and other necessary accessories. Overall dimensions: 550 mm (W) × 680 mm (D) × 885 mm (H), with minimum seat height of 475 mm, effective seat depth 450 mm (±100 mm) and backrest height 405 mm (±10 mm), complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects	01	Each		
08	Providing, supplying, assembling and fixing library/study chair without cushion, comprising a contoured polypropylene/plastic shell seat and backrest integrated into a single-piece chair body, suitable for library reading, study and general seating applications. The chair shall be supported on a continuous M.S. (mild steel) tubular frame/base with interconnected tubular members forming the leg and supporting structure, providing stability and durability, with the tubular frame neatly finished with approved powder coating. The chair shall be lightweight and stackable for convenient storage, complete with seat/back shell, continuous M.S. tubular frame, connecting/support members, fasteners and all other necessary accessories. The chair shall be complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

09	Providing, supplying, assembling and fixing High-seat Library / Study chair with cushioned seat, comprising a distinctive leaf-shaped backrest ergonomically contoured to provide lumbar support, cushioned seat with high-density foam padding and contoured waterfall edge for enhanced comfort during prolonged seating, upholstered in approved fabric, and supported on a sleek M.S. (mild steel) rod sledge-type base, suitable for use with high tables, counters, library discussion areas and breakout spaces. The chair shall include all necessary seat and back supports, sledge base/frame, upholstery, cushioning, hardware, fasteners and other required accessories, complete with assembly, installation and placement at site. Overall dimensions: 495 mm (W) × 545 mm (D) × 1090 mm (H), with minimum seat height of 765 mm, effective seat depth of 405 mm (±100 mm) and backrest height of 355 mm (±10 mm), as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
10	Providing, supplying, assembling and fixing Library/Study Chair without writing desk, comprising an ergonomically contoured perforated polypropylene backrest for ventilation and comfortable back support, and an ergonomically contoured moulded polypropylene seat with waterfall front edge for comfortable seating. The chair shall be supported on a sleek M.S. (mild steel) tubular sledge-type base/frame with interconnected legs and an additional horizontal M.S. tubular support/stretcher connecting the legs, providing stability and structural strength. The chair shall have a stackable construction for convenient storage and transportation. Complete with seat and back supports, M.S. tubular sledge frame, horizontal connecting support/stretcher, hardware, fasteners and all other necessary accessories. Overall dimensions: 550 mm (W) × 590 mm (D) × 850 mm (H), with minimum seat height of 460 mm, effective seat depth of 420 mm (±100 mm) and backrest height of 415 mm (±10 mm) from seat top, complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

11	Providing, supplying, assembling and fixing movable Pouffe Seating with integrated writing pad, comprising a cushioned and contoured upholstered seat suitable for comfortable casual seating, with an integrated writing pad/tablet designed to provide a convenient writing surface and support for reading/study activities. The unit shall be provided with a stable bush-supported base without castors/rollers, with suitable internal structural/supporting members, cushioning, writing pad, base/bush assembly, hardware, fasteners and other necessary accessories. The unit shall be suitable for library reading, study, learning, training, breakout and collaborative spaces, complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, Overall dimensions: 650 mm (W) × 725 mm (H) × 750 mm (H), approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
12	Providing, supplying, assembling and fixing library/study chair with integrated writing desk, comprising an ergonomically contoured perforated polypropylene backrest for ventilation and comfortable back support, an ergonomically contoured moulded polypropylene seat with waterfall front edge for comfortable seating, and a built-in writing desk/tablet suitable for reading, writing and note-taking. The chair shall be supported on a sleek M.S. (mild steel) tubular sledge-type base/frame with interconnected legs and an additional horizontal M.S. tubular support/stretcher connecting the legs, providing stability and structural strength, and shall have a stackable construction for convenient storage and space utilisation. Complete with seat and back supports, integrated writing desk/tablet, M.S. tubular sledge frame, horizontal connecting support/stretcher, hardware, fasteners and all other necessary accessories. Overall dimensions: 550 mm (W) × 710 mm (D) × 850 mm (H), with minimum seat height of 460 mm, effective seat depth of 420 mm (±100 mm) and backrest height of 415 mm (±10 mm) from seat top, complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

13	Providing, supplying, assembling and fixing Three-Seater sofa, comprising a solid wood frame and solid wood legs, with upholstered seat and backrest, cushioned for comfortable seating, and provided with individual seat/back sections and side armrests. The sofa shall be fabricated with durable structural members and finished with approved polish/finish to the exposed solid wood components, with fabric upholstery over suitable cushioning/foam, complete with necessary internal supports, seat and back cushions, armrests, solid wood legs, hardware, fasteners and other required accessories. Overall dimensions: 1800 mm (L) × 665 mm (D) × 780 mm (H), complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects. (featherlitefurniture.com)	01	Each		
14	Providing, supplying, assembling and fixing Two-seater Sofa, comprising a solid wood structural frame with solid wood legs, two individually cushioned and upholstered seating sections with corresponding upholstered backrests, and side armrests, designed for comfortable seating in library reading, waiting and discussion areas. The sofa shall be provided with suitable internal structural supports, seat and back cushioning/foam, approved fabric upholstery, solid wood legs and exposed wooden components with approved polish/finish, complete with necessary hardware, fasteners and other required accessories. Overall dimensions: 1200 mm (L) × 665 mm (D) × 780 mm (H), complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

15	Providing, supplying, assembling and fixing Single-seater Sofa, comprising a solid wood structural frame with solid wood legs, single cushioned and upholstered seating section with corresponding upholstered backrest and side armrests, designed for comfortable seating in library reading, waiting and discussion areas. The sofa shall be provided with suitable internal structural supports, seat and back cushioning/foam, approved fabric upholstery, solid wood legs and exposed wooden components with approved polish/finish, complete with necessary hardware, fasteners and other required accessories. Overall dimensions: 700 mm (L) × 665 mm (D) × 780 mm (H), complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
16	Providing, supplying, assembling and fixing medium-back library/study chair, comprising an ergonomically contoured breathable mesh backrest with flexible support, cushioned seat with approved fabric upholstery, fixed armrests, and a centre-tilt mechanism with two-position locking and tension adjustment for controlled reclining and comfortable seating. The chair shall be supported on a durable five-star base fitted with high-load nylon castors, providing stability and smooth movement, with adjustable seat height and complete with seat and back supports, armrests, centre-tilt mechanism, tension adjustment, five-star base, castors, gas-lift mechanism, hardware, fasteners and all other necessary accessories. Overall dimensions: 695 mm (W) × 695 mm (D) × 890–990 mm (H), with seat depth of 440 mm (±100 mm), seat height adjustable from 460 to 560 mm, backrest height of 480 mm (±10 mm) from seat, and armrest height of 180 mm (±10 mm) from seat, complete with assembly, installation and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

17	Providing, supplying, assembling and fixing single-seater non-sharing workstation with screen, comprising an individual rectangular worktop with a dedicated privacy/partition screen mounted on the worktop, suitable for computer-based study, reading, library and office work. The worktop shall be made of E1 grade pre-laminated particle board with PVC edge banding, having neatly finished exposed edges, supported on a robust M.S. (mild steel) tubular/metal understructure comprising beams, cross members and suitable connectors, with powder-coated metal legs and ABS levelling feet for stability and adjustment. The workstation shall be provided with integrated cable-management/raceway provision below the worktop, including suitable wire-entry/access provisions for routing of electrical and data cables, and complete with privacy screen, screen supports, brackets, structural members, hardware, fasteners and all necessary accessories. The worktop shall be finished in approved Urban Teak laminate and M.S. components shall be finished in Moon Light Grey powder coating, complete with assembly, installation, levelling and fixing at site. Overall dimensions: 1200 mm (L) × 600 mm (D) × 750 mm (H), as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects	01	Each		
18	Providing, supplying, assembling and fixing double-seater non-sharing workstation with screen, comprising two individual rectangular worktops arranged in a linear configuration, each workstation having a dedicated privacy/partition screen, suitable for computer-based study, reading, library and office work. The worktops shall be made of E1 grade pre-laminated particle board with PVC edge banding, having neatly finished exposed edges, supported on a robust M.S. (mild steel) tubular/metal understructure comprising longitudinal beams, cross members and suitable connectors, with powder-coated metal legs and ABS levelling feet for stability and adjustment. The workstation shall be provided with integrated cable-management/raceway provision below the worktops, including suitable wire-entry/access provisions for routing of electrical and data cables, and complete with privacy screens, screen supports, brackets, structural members, hardware, fasteners and all necessary accessories. The worktops shall be finished in approved Urban Teak laminate and M.S. components shall be finished in Moon Light Grey powder coating, complete with assembly, installation, levelling and fixing at site. Overall dimensions: 2400 mm (L) × 600 mm (D) × 750 mm (H), as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

19	Providing, supplying, assembling and fixing single-seater sharing workstation with screen, comprising a back-to-back/shared workstation configuration having individual work positions arranged on opposite sides of a common central workstation structure, each work position having a 1200 mm × 600 mm worktop, suitable for computer-based study, reading, library and office work. The table top shall be 25 mm thick E1 grade pre-laminated particle board with 2 mm PVC edge banding and neatly finished exposed edges, in approved Thansau Maple finish. The workstation shall be supported on a robust M.S. understructure comprising 50 × 50 mm M.S. square tubular legs with 40 × 20 mm M.S. cross beams, complete with powder-coated finish in approved Moon Light Grey shade and ABS levelling feet for stability and adjustment. The workstation shall be provided with a 1050 mm wide × 300 mm high fabric magnetic privacy screen comprising 12 mm thick MDF panel clad with fabric and mounted on powder-coated metal studs, with fabric finish in approved Grey F128 shade. The workstation shall also include integrated wire-management provisions comprising 65 mm diameter wire-manager/grommet holes and approximately 125 mm high metal raceway below the worktop for routing and concealing electrical and data cables, including suitable switch-mounting provision on the raceway and fabric sock/grommet provision for wire concealment and access. The worktop shall be provided with an anodised aluminium flip-up cover for electrical/data access, suitable for 6-module electrical/data provision with data port, complete with necessary cut-outs, fittings and accessories. The workstation shall include all central structural members, privacy screen supports, brackets, raceways, connectors, levelling feet, hardware, fasteners and all other necessary accessories required for complete assembly and installation. Complete with transportation, assembly, installation, levelling and fixing at site, as per approved drawings, manufacturer's standard design/specifications, approved sample and directions of Engineer-in-Charge. Overall dimensions: 1200 mm (L) × 1200 mm (D) × 750 mm (H), complete in all respects. Approved brand: Featherlite or equivalent.	01	Each		
----	---	----	------	--	--

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

20	Providing, supplying, assembling and fixing double-seater sharing workstation with screen, comprising individual work positions arranged in a back-to-back/shared configuration, with each work position provided with a dedicated privacy/partition screen, suitable for computer-based study, reading, library and office work. The worktops shall be made of E1 grade pre-laminated particle board with PVC edge banding, having neatly finished exposed edges, supported on a robust M.S. (mild steel) metal understructure comprising longitudinal beams, cross members and suitable connecting/supporting members, with powder-coated metal legs and ABS levelling feet for stability and adjustment. The workstation shall be provided with integrated cable-management/raceway provisions below the worktops, including suitable wire-entry/access provisions for routing of electrical and data cables, complete with central structural members, privacy screens, screen supports, brackets, connectors, hardware, fasteners and other necessary accessories. The worktops shall be finished in approved Urban Teak laminate and M.S. components shall be finished in Moon Light Grey powder coating, complete with assembly, installation, levelling and fixing at site. Overall dimensions: 2400 mm (L) × 1200 mm (D) × 750 mm (H), as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
21	Providing, supplying, assembling and fixing office workstation, single-seater type , comprising an individual rectangular worktop supported on a robust M.S. (mild steel) workstation frame/understructure, suitable for computer-based office, library administration and study-related work. The worktop shall be made of high-quality engineered particle board with pre-laminated finish and neatly finished exposed edges, supported on M.S. structural members, legs and necessary connecting/supporting components. The workstation shall be provided with a complete cubicle screen/partition arrangement around the work position, comprising rear and side privacy/partition panels with suitable supporting frames, posts, brackets, connectors and fixing accessories, forming an individual enclosed work cubicle as per approved layout and catalogue reference. The workstation shall be provided with suitable cable-management provisions for organised routing of electrical and data cables, along with necessary wire-entry/access provisions, wherever required. M.S. structural components and screen/partition supporting components shall be finished with approved powder coating, and the worktop and partition panels shall be finished in approved laminate/finish, complete with all necessary brackets, connectors, supports, levelling feet, hardware, fasteners and other required accessories. Overall dimensions: 1200 mm (L) × 600 mm (D) × 750 mm (H) for the workstation, complete with cubicle screen/partition arrangement, assembly, installation, levelling and fixing at site, as per approved drawings, catalogue reference and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

22	Providing, supplying, assembling and fixing trapezoidal-shaped table , comprising a suitably shaped particle board worktop with neatly finished and edge-banded exposed edges, supported on a robust M.S. (mild steel) tubular/metal frame and legs, designed for use in library reading, study, training, classroom and collaborative learning areas. The table shall have a stable four-leg metal support arrangement with suitable structural members, cross supports and levelling/glide feet for stability and adjustment. The particle board worktop shall be finished with approved Urban Teak laminate, with suitable PVC edge banding, and all exposed M.S. components shall be finished with Moon Light Grey powder coating, complete with necessary brackets, supports, connectors, hardware, fasteners, levelling/glide feet and other required accessories. Overall dimensions: 1350 mm (L) × 585 mm (D) × 750 mm (H), complete with assembly, installation, levelling and fixing at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
23	Providing, supplying, assembling and fixing trapezoidal-shaped table , comprising a suitably shaped particle board worktop with neatly finished and edge-banded exposed edges, supported on a robust M.S. (mild steel) tubular/metal frame and legs, designed for use in library reading, study, training, classroom and collaborative learning areas. The table shall have a stable four-leg metal support arrangement with suitable structural members, cross supports and levelling/glide feet for stability and adjustment. The particle board worktop shall be finished with approved Urban Teak laminate, with suitable PVC edge banding, and all exposed M.S. components shall be finished with Moon Light Grey powder coating, complete with necessary brackets, supports, connectors, hardware, fasteners, levelling/glide feet and other required accessories. Overall dimensions: 1350 mm (L) × 585 mm (D) × 750 mm (H), complete with assembly, installation, levelling and fixing at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

24	Providing, supplying, assembling and fixing Centre table, comprising a smooth rectangular PLB (pre-laminated particle board) tabletop with neatly finished and edge-banded exposed edges, supported on sturdy solid wood legs, suitable for use in library reading, lounge, waiting, discussion and informal interaction areas. The tabletop shall be finished with approved Urban Teak laminate, with the exposed solid wood legs finished with clear PU coating to retain and protect the natural wood grain. Each solid wood leg shall be provided with suitable caps/bushes at the bottom for stability, protection of floor surface and reduction of noise during movement. The table shall be complete with suitable structural supports, leg fixing arrangements, hardware, fasteners, floor-protection caps/bushes and all other necessary accessories. Overall dimensions: 1050 mm (L) × 525 mm (D) × 450 mm (H), complete with assembly, installation, levelling and placement at site, as per approved drawings and manufacturer's standard design/specifications, approved brand: Featherlite or equivalent, as instructed and approved by Engineer-in-Charge, and approved sample, complete in all respects.	01	Each		
25	Providing, supplying, assembling and fixing staggered/zig-zag type modular workstation comprising individual workstations arranged in an offset configuration, with each workstation having a 1200 mm × 600 mm worktop at 750 mm height, suitable for computer-based office, library administration, study and individual work. The worktop shall be made of 25 mm thick E1 grade pre-laminated particle board with 2 mm PVC edge banding and neatly finished exposed edges. The workstation shall be supported on a robust M.S. tubular understructure comprising suitable vertical legs, longitudinal members, cross members and connecting supports, finished with approved powder coating and provided with suitable levelling feet. The workstation shall be provided with full-height side/end privacy panels and central dividing panels forming individual cubicles, comprising suitable rigid partition panels with fabric-covered soft-board/pin-up surfaces wherever specified, suitable for fixing notices, papers and other material using drawing pins. The partition panels shall be securely supported and fixed with suitable M.S./aluminium framing, posts, brackets, connectors and fixing accessories. The system shall include integrated cable-management provisions comprising suitable cable raceways/trays below the worktop and wire-entry/grommet provisions for organised routing of electrical and data cables. The workstation shall include all necessary pedestals/storage units as shown in the approved layout, screen/partition supports, brackets, connectors, levelling feet, hardware, fasteners and accessories required for a complete functional workstation system, including transportation, assembly, installation, levelling and fixing at site, complete as per approved drawings, approved sample and manufacturer's standard design/specifications and directions of Engineer-in-Charge. Overall worktop dimensions of each individual workstation: 1200 mm (L) × 600 mm (D) × 750 mm (H), with staggered/offset cubicle	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

	arrangement, complete in all respects. Approved brand: Featherlite or equivalent.				
26	Providing, supplying, assembling and fixing executive L-shaped cabin table comprising a main worktop of overall size approximately 2400 mm (L) × 950 mm (D) × 760 mm (H), with an L-shaped side return/extension of approximately 1900 mm (L) × 600 mm (D) × 620 mm (H), suitable for executive office/cabin use. The tabletop shall be made of E1-grade MDF finished with natural wood veneer and multi-layer polished finish, with a PU leather inlay provided on the principal working surface. The table shall be supported on suitably designed sturdy legs/base supports with smoothly finished and rounded edges and corners, providing a stable and aesthetically finished executive workstation. The table shall include integrated dual wire-management boxes on the tabletop with suitable cable-entry cut-outs for organised routing of electrical and data cables. The fixed side return/extension shall comprise integrated storage including drawers, swing-door storage compartment and dedicated CPU space. The table shall also include a matching modesty panel for privacy and visual finish. All necessary hinges, drawer channels, handles, hardware, connectors, fasteners, cable-management accessories and other components required for complete assembly shall be included. Complete with transportation, assembly, installation, levelling and fixing at site, as per approved drawings, manufacturer's specifications and directions of Engineer-in-Charge, complete in all respects. Approved brand: Featherlite or equivalent.	01	Each		
27	Providing, supplying, assembling and fixing centre table comprising a rectangular worktop of size 1800 mm (L) × 600 mm (D) × 750 mm (H), made of 25 mm thick pre-laminated engineered particle board/MDF with neatly finished and edge-banded exposed edges, supported on a robust M.S. tubular/metal understructure with suitable legs, cross members and supports, finished with approved powder coating. The table shall include all necessary connectors, brackets, levelling provisions, fasteners and accessories required for a stable and durable installation, complete with transportation, assembly, installation and levelling at site, as per approved drawings, manufacturer's specifications and directions of Engineer-in-Charge, complete in all respects. Approved brand: Featherlite or equivalent.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

28	Providing, supplying, assembling and fixing centre table comprising a rectangular worktop of size 1200 mm (L) × 600 mm (D) × 750 mm (H), made of 25 mm thick pre-laminated engineered particle board/MDF with neatly finished and edge-banded exposed edges, supported on a robust M.S. tubular/metal understructure with suitable legs, cross members and supports, finished with approved powder coating. The table shall include all necessary connectors, brackets, levelling provisions, fasteners and accessories required for a stable and durable installation, complete with transportation, assembly, installation and levelling at site, as per approved drawings, manufacturer's specifications and directions of Engineer-in-Charge, complete in all respects. Approved brand: Featherlite or equivalent.	01	Each		
29	Providing, supplying, assembling and fixing high table comprising a rectangular worktop of size 1500 mm (L) × 800 mm (D) × 1050 mm (H), made of 25 mm thick pre-laminated engineered particle board/MDF with neatly finished and edge-banded exposed edges, supported on a robust angular M.S. tubular/metal frame with inclined/tapered legs and suitable lower cross-support/foot-rest arrangement, finished with approved powder coating. The table shall include all necessary structural members, connectors, brackets, levelling provisions, fasteners and accessories required for a stable and durable installation, complete with transportation, assembly, installation and levelling at site, as per approved drawings, manufacturer's specifications and directions of Engineer-in-Charge, complete in all respects. Approved brand: Featherlite or equivalent.	01	Each		
30	Providing, supplying and fixing wall-mounted pin-up/display board comprising a soft and resilient backing board suitable for insertion and holding of drawing pins/push pins, covered with high-quality fabric/felt finish of approved colour and shade, with rigid backing/support, neatly finished edges and suitable frame/beading, including necessary wall-mounting brackets, screws, anchors, fasteners and all required accessories, complete with cutting, fabrication, assembly, installation, alignment and fixing at site, including all labour, tools and tackles, complete in all respects as per approved drawings, specifications and directions of Engineer-in-Charge.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

31	Providing, supplying, fabricating, assembling and fixing floor-standing display / tag board system of overall size approximately 2400 mm (L) × 1200 mm (W), comprising robust M.S. structural framing of suitable sections, including vertical posts, horizontal members, intermediate supports and necessary base/support arrangement, finished with approved powder coating. The system shall be provided with soft/fabric-finished display boards/tag boards formed over suitable plywood/rigid backing, securely mounted within the M.S. frame, with high-quality fabric covering of approved colour and shade, neatly finished edges and joints. The display panels shall be suitable for displaying notices, drawings, photographs, exhibition material, information sheets and other display content using pins/appropriate fixing accessories. Item shall include all necessary M.S. framing, plywood/board backing, fabric covering, supports, brackets, connectors, fasteners, levelling provisions, floor-fixing accessories, cutting, fabrication, assembly, transportation, installation and alignment at site, complete in all respects as per approved drawings, approved sample, manufacturer's specifications and directions of Engineer-in-Charge.	01	Each		
32	Providing, supplying, fabricating, assembling and fixing wall-mounted display / tag board system of overall size approximately 2400 mm (L) × 1200 mm (W), comprising suitable rigid plywood/board backing securely fixed to the existing wall/substrate and provided with soft/fabric-finished display board surface, covered with high-quality fabric of approved colour and shade. The system shall include suitable supporting framework/framing where required, neatly finished exposed edges, joints and corners, and shall be suitable for display of notices, drawings, photographs, exhibition material, information sheets and other display content using pins/appropriate fixing accessories. The item shall include necessary wall brackets, cleats, screws, anchors, fasteners, backing supports, edge profiles/beading, cutting, fabrication, assembly, transportation, installation, levelling and fixing to wall, complete in all respects as per approved drawings, approved sample, manufacturer's specifications and directions of Engineer-in-Charge.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

33	Providing, supplying, assembling and installing 12-seater Arena type integrated discussion/workspace seating system of overall size approximately 4500 mm (L) × 1750 mm (W) × 1200 mm (H), comprising an integrated upholstered seating arrangement with high-quality fabric upholstery over suitable structural framework and cushioning, together with integrated work surfaces/tables provided at the rear/associated work positions. The system shall comprise robust M.S./aluminium structural framework, suitably finished panels and supports, 25 mm thick E1 grade pre-laminated engineered particle board work surfaces with neatly finished edges, upholstered acoustic/privacy panels and suitable electrical/data cable management provisions. The system shall include provision for electrical power, USB charging and LAN/data connectivity at designated positions, complete with suitable cable routing, wire-management provisions, connectors and accessories. Upholstered panels shall be provided with approved fabric finish, and exposed metal/aluminium components shall have approved powder-coated/anodised finish as applicable. The complete system shall include all necessary structural members, seating components, cushioning, upholstery, worktops, panels, brackets, connectors, levelling provisions, electrical/data provision accessories, fasteners, transportation, assembly, installation and commissioning at site, complete in all respects as per approved drawings, manufacturer's standard design/specifications, approved sample and directions of Engineer-in-Charge.	01	Each		
34	Providing, supplying, assembling and fixing Arena type media / AV unit of overall size approximately 1860 mm (L) × 460 mm (D) × 1500 mm (H), comprising a robust modular storage and media-support structure suitable for mounting/supporting display screens, AV equipment and associated accessories, fabricated from suitable engineered board/particle board/MDF components with approved laminate finish and neatly finished exposed edges. The unit shall comprise necessary vertical panels, shelves, compartments, equipment-support provisions, cable-management openings and rear/side access provisions for organised routing of electrical, data and AV cables. The complete unit shall include suitable structural supports, brackets, connectors, hardware, fasteners, edge banding, cable-management accessories, transportation, assembly, installation, levelling and fixing at site, complete in all respects as per approved drawings, manufacturer's specifications, approved sample and directions of Engineer-in-Charge.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

35	Providing, supplying, assembling and fixing Brisk type rectangular laptop table of overall size approximately 550 mm (L) × 450 mm (D) × 675 mm (H), comprising a suitably sized rectangular worktop made of engineered particle board with approved decorative laminate finish and neatly finished/banded exposed edges, supported on a robust M.S. tubular/metal framework with suitable vertical support/leg arrangement. The M.S. frame shall be properly welded/fabricated and finished with approved powder coating, and the table shall be provided with suitable levelling feet and all necessary structural supports, brackets, connectors and hardware. The table shall be suitable for use with laptops and personal study/work activities and shall include all necessary cutting, edge finishing, fabrication, assembly, transportation, installation and levelling at site, complete in all respects as per approved drawings, manufacturer's specifications, approved sample and directions of Engineer-in-Charge.	01	Each		
36	“Providing, supplying, fabricating, assembling and fixing writable partition system of overall size approximately 1200 mm (L) × 1800 mm (H), comprising white back-painted glass panels suitably mounted within a robust aluminium framing system. The glass surface shall provide a smooth, non-porous and writable surface suitable for use with whiteboard/dry-erase markers and shall have neatly finished exposed edges. The aluminium framing shall comprise suitable vertical and horizontal members, perimeter profiles, joints, connectors and necessary support members, finished in approved colour and shade. The complete partition shall include suitable fixing brackets, channels, glazing profiles, gaskets, silicone sealant, screws, anchors, fasteners and all other necessary accessories required for secure and stable installation. The item shall include cutting, fabrication, drilling, assembly, transportation, installation, alignment, levelling and fixing to the floor/ceiling/wall as required, complete in all respects as per approved drawings, approved sample, manufacturer's specifications and directions of Engineer-in-Charge.”	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

37	Carefully dismantling, disconnecting and temporarily shifting the existing access control and check-out systems, including access control gates/barriers, check-out/deactivation units, reader units, associated panels/cabinets, wiring, cables and other connected components, wherever required for execution of the proposed works, by suitably skilled personnel, including labelling and recording of all connections, careful dismantling, suitable packing, shifting and safe storage at a designated secure location within the premises during the construction period; and thereafter, upon completion of the works, carefully transporting, re-installing and repositioning the existing access control and check-out systems at their original/approved locations, reconnecting all cables, accessories and components, carrying out necessary testing, checking and commissioning to ensure proper functioning, including all labour, minor tools, tackles, packing materials and incidental works, complete in all respects as directed by Engineer-in-Charge.	01	Each		
38	Providing, supplying and fixing glass railing of 1100 mm overall height comprising 16.76 mm thick laminated safety glass made of 8 mm thick toughened glass + 0.76 mm PVB interlayer + 8 mm thick toughened glass, of approved quality, size and configuration as per approved drawings, supported/fixed with stainless steel grade 304 base channels, clamps, brackets, brackets/fittings and other necessary accessories, including providing and fixing first class seasoned teakwood handrail of approved section, size and finish over the glass panels, complete with stainless steel fasteners, anchors, joints, cutting, drilling, edge polishing/finishing of glass, teakwood polishing/finishing, fixing, alignment, levelling and all necessary labour, tools and tackles, complete as per approved drawings, manufacturer's specifications and direction of Engineer-in-Charge.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

39	Providing and fixing 12 mm thick multiwall/multicell Polycarbonate Roofing Sheets of approved quality, having co-extruded ultraviolet (UV) protective layer suitable for external roofing applications, fixed over the existing roofing sheets, including necessary aluminium glazing/fixing profiles, EPDM gaskets, end closure/tape, self-drilling screws with suitable washers, sealing accessories and all necessary fittings, including cutting, drilling, overlapping/jointing, alignment, fixing and sealing, complete with weatherproofing of all joints and roof penetrations to ensure a leak-proof installation, including providing, erecting, maintaining and dismantling necessary scaffolding, staging, ladders, working platforms and safety arrangements for carrying out the roofing work at height, including all labour, tools and tackles, as per approved drawings, manufacturer's specifications and direction of Engineer-in-Charge, complete in all respects.	01	Each		
40	Providing and fixing G.I. (Galvanised Iron/Steel) frame for HPL cladding, including providing and fixing framework made of G.I. square/rectangular hollow sections of required sizes including 25 × 25 mm, 75 × 50 mm, 60 × 40 mm and 120 × 60 mm, fabricated as per approved drawings, including cutting, measuring, drilling, welding, bolting, providing and fixing necessary cleats, brackets, connection plates, stiffeners, fasteners and suitable anchor fasteners for fixing the frame to the existing floor, ceiling, wall or structural members, including hoisting, alignment, levelling, plumbing and fixing in position, complete with all necessary labour, tools and tackles and all incidental works required for proper and rigid fixing of the G.I. frame for HPL cladding, as per approved drawings, manufacturer's specifications and direction of Engineer-in-Charge, complete in all respects.	01	Each		
41	Providing, supplying and fixing 12 mm thick compact High Pressure Laminate (HPL) sheet/panel , manufactured from high-density kraft paper impregnated with phenolic resin and compressed under high pressure and temperature, having uniform thickness, smooth decorative surface finish on exposed face, moisture-resistant and durable construction, suitable for interior wall/partition panelling, including cutting, drilling, edge finishing, necessary screws, fasteners, fixing accessories, joint treatment and all labour required for proper alignment, levelling and fixing to the supporting G.I. frame/substructure, complete in all respects as per approved drawings, manufacturer's specifications and instructions of Engineer-in-Charge.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

42	Providing, supplying and fixing mosquito/insect screen for windows comprising fine-quality stainless steel (SS) insect mesh having maximum mesh opening of 1.0 mm × 1.0 mm, suitably fixed within an aluminium frame of approved section, including necessary hinges/sliding arrangement, magnetic/locking arrangement wherever required, rubber beading/gasket, stainless steel screws, fasteners, brackets and all other required accessories, complete with cutting, fabrication, fitting, alignment and fixing to the existing/new window frame, including all labour, tools and tackles, complete in all respects as per approved drawings, specifications and directions of Engineer-in-Charge.	01	Each		
43	Providing, supplying and fixing complete frameless glass partition and door system comprising 8 mm thick float glass panels, including stainless steel (SSS) glass-to-glass seals for top, bottom and side joints, SSS patch fittings, floor springs for frameless glass doors, top and bottom pivots, glass-to-glass patch fittings, stainless steel door handles, bottom locks and all other required hardware, fittings, gaskets, fasteners, accessories, cutting, drilling, alignment, fixing and finishing, complete in all respects as per approved drawings, specifications and directions of Engineer-in-Charge.	01	Each		
44	Providing, supplying and fixing urinal partition/divider comprising 12 mm thick compact High Pressure Laminate (HPL) panel, manufactured from high-density kraft paper impregnated with thermosetting resin and compressed under high pressure and temperature, having smooth, durable, moisture-resistant and scratch-resistant decorative surface finish on both faces, suitable for use in toilet/wet areas, including machine-finished exposed edges, stainless steel/G.I. supporting brackets, top and side fixing channels/profiles, suitable stainless steel screws, anchors, fasteners and other necessary accessories, including cutting, drilling, edge finishing, fabrication, alignment, levelling and fixing to wall/floor as required, complete with all labour, tools and tackles, transportation, installation and finishing, complete in all respects as per approved drawings, manufacturer's specifications and directions of Engineer-in-Charge	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlul.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

45	Providing and fixing laminated wooden flooring over cement sheet laid on steel framework, including providing and fixing 12 mm thick fibre cement sheet/cement board of approved quality over the steel framework, securely fixed with suitable self-drilling screws/fasteners at required spacing, including cutting and fitting; thereafter providing and fixing 12 mm thick HDF laminated wooden flooring of AC-5 grade, having high-density fibreboard (HDF) substrate with decorative wear-resistant surface finish, laid over 2 mm thick suitable underlay with interlocking/tongue-and-groove arrangement, including necessary cutting, fitting, jointing, edge profiles, transition profiles and all required accessories, complete as per approved drawings, manufacturer's specifications and direction of Engineer-in-Charge.	01	Each		
46	Providing, supplying and fixing double-leaf timber shutter door comprising 2 Nos. operable door shutters, fabricated from seasoned hardwood/timber members of approved quality and suitable thickness, with solid timber framing, stiles, rails and intermediate members, properly jointed and finished, including suitable timber door frame where required, hinges, handles, mortice lock and locking arrangement, tower bolts, door stopper, holdfasts/anchors, screws, fasteners and all necessary hardware and accessories. The complete door assembly shall be properly fitted, aligned, levelled and fixed in the existing opening, including necessary cutting, trimming, making good around the frame, finishing and all labour, tools and tackles, complete in all respects as per approved drawings, approved door schedule, actual site dimensions and directions of Engineer-in-Charge.	01	Each		
47	Providing, supplying and fixing 11.52 mm thick laminated safety glass shutter door/door assembly comprising 5 mm thick clear toughened glass + 1.52 mm PVB interlayer + 5 mm thick clear toughened glass, comprising operable glass shutters and, wherever indicated in the approved door schedule, fixed laminated glass panels, suitably provided with aluminium framing/supporting profiles of approved section and finish. The complete assembly shall include necessary glazing beads/gaskets, aluminium profiles, glass-to-frame fixing accessories, door handles, locking arrangement, hinges/pivots, patch fittings wherever required, sealants, fasteners and all necessary hardware and accessories, including cutting, drilling and making holes for fittings, fabrication, assembly, alignment, levelling, fixing and finishing, complete in all respects as per approved drawings, approved door schedule, site dimensions, manufacturer's specifications and directions of Engineer-in-Charge.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

48	Providing and fixing 45 mm thick solid core flush door shutter finished with 1.2 mm thick High Pressure Laminate (HPL) on both faces, including suitable edge beading/lipping, necessary adhesive, stainless steel hinges, mortice lock and locking arrangement, handles, tower bolts wherever required, hydraulic door closer wherever required, door stopper, necessary screws, fasteners and all other required hardware and accessories, including cutting, fitting, fabrication, alignment, levelling and fixing in the approved door frame/partition framework, complete in all respects as per approved drawings, approved door schedule, actual site dimensions, manufacturer's specifications and directions of Engineer-in-Charge.	01	Each		
49	<u>ELECTRICAL ITEMS:</u> Providing, supplying, installing, testing and commissioning of LED Track Light complete with track mounting system, comprising high-efficiency LED light source of 30 Watt capacity, suitable constant-current LED driver, aluminium die-cast housing with efficient heat dissipation arrangement, optical lens/reflector providing focused and adjustable beam angle, and suitable adjustable track-light fitting capable of directional and angular adjustment for accent/focused illumination. The LED track light shall be suitable for operation on 220–240 V AC, 50 Hz supply, with power factor not less than 0.90, CRI ≥ 80 and colour temperature as approved by Engineer-in-Charge, with minimum 50,000 hours rated life. The item shall include supply and fixing of suitable 3-phase/4-wire or compatible electrical track rail of approved section and capacity, complete with aluminium track body, insulated copper conductors, end-feed/track-feed connector, live-end connector, end cap, joining connectors, suspension/ceiling mounting brackets, clamps, couplers and all necessary accessories required for continuous and secure installation of the track system. The track shall be securely fixed to the ceiling/soffit at required spacing with suitable anchors, screws, brackets and fasteners, and shall include electrical connection from the existing wiring point to the track-feed point. The LED track light fittings shall be provided with suitable track adapters compatible with the specified track, allowing easy installation, removal and repositioning of individual luminaires along the track. Each luminaire shall be capable of vertical and horizontal directional adjustment for focusing light on bookshelves, display boards, reading areas, architectural features or other designated areas as shown in the approved drawings. The complete system shall include all necessary wiring connections, connectors, mounting hardware, accessories, labour, tools and tackles, alignment, testing and commissioning, complete in all respects as per approved drawings, manufacturer's specifications and directions of Engineer-in-Charge. 1) 30 Watt	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlul.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

50	Providing, supplying, installing, testing and commissioning of 12 ft diameter HVLS fan, complete with high-efficiency motor, fan blades, controller, suspension/mounting arrangement, safety provisions, electrical connections and all necessary accessories, complete as required.	01	Each		
51	Providing, supplying and fixing 24 inch (600 mm) diameter industrial type stainless steel Turbo Roof Ventilator , wind-driven and non-powered, suitable for continuous natural ventilation, fabricated from corrosion-resistant stainless steel, complete with rotating turbine head, stainless steel base/flashing suitable for existing roofing profile, supporting frame, bearings, fasteners and all necessary accessories, including cutting of roofing sheet wherever required, fixing, alignment, sealing and weatherproofing around the opening with suitable sealant to prevent water leakage, complete in all respects as per manufacturer's specifications, approved drawings and direction of Engineer-in-Charge.	01	Each		
52	<u>FIRE FIGHTING ITEMS</u> Supplying & erecting carbon dioxide (CO2) fire extinguisher user of following capacity with necessary clamps made from 50 x 6 mm M.S. Flat with nut & bolts grouted in wall complete. [A] For 4.5 Kg Capacity	01	Each		
53	Supplying & erecting ABC powder type 'Ceasefire' type Fire extinguisher of 6 Kg capacity with necessary clamp for erection on wall	01	Each		
54	<u>IT RELATED ITEMS:</u> Supply, Installation, Testing & Commissioning of 1/2.8 sensor, 2 MP, bullet camera with as mentioned in technical specification with all required hardware and software complete as per instruction of engineer in charge. 2MP IP Motorized Varifocal Bullet Camera, SD, Built in Mic, 2.7-13.5MM Lens, POE, IP67. NVR Solutions.	01	Each		
55	Supply, Installation, Testing & Commissioning of 32 channel NVR for Local Monitoring and Recording of CCTV Feed as mentioned in technical specification with all required hardware and software complete as per instruction of engineer. 32CH 4K H.265 NETWORK VIDEO RECORDER ,4 Sata support UP TO 10TB HDDin charge.	01	Each		
56	Supply, Installation,Testing & Commissioning of 6TB storage system as mentioned in technical specification with all required hardware and software complete as per instruction of engineer. in charge.	01	Each		

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

57	Supply, Installation, Testing & Commissioning OF POE SWITCH as per technical specification. POE SWITCH 16 Gigabit Port + 2SFP 10/100/1000Mbps	01	Each		
58	Supply, Installation, Testing & Commissioning of 9U rack for Storing of CCTV components as mentioned in technical specification with all required hardware complete as per instruction of engineer in charge. 9U Networking Rack With Other accessories.	01	Each		
59	Supply, Installation, Testing & Commissioning of 43" LED monitoring Display at ICCC for Central Monitoring of CCTV feeds as mentioned in technical specification with all required hardware complete as per instruction of engineer in charge. LG Make 43 Inch Smart LED TV.	01	Each		
60	Supply, Installation, Testing & Commissioning of Modem having minimum specification of Dual band Wi- Fi networks, with maximum speeds of up to 300 MBPS on the 2.4GHz band, 4G LTE network with multiple Wi-Fi speeds of up to 150mbps, Interface: 3 x 10/100mbps LAN ports, 1 x 10/100mbps LAN or WAN port and 1 SIM card slot, Signal rate of 300mbps at 2.4GHz and 433mbps at 5GHz, With Dual Band Antenna, Modem Shall be compatible with DVR for remote access through internet ,Certification: CE, FCC, RoHS as mentioned in technical specification with all required hardware complete as per instruction of engineer in charge. 4G ROUTER DLINK DWR 920 V.	01	Each		
61	Supply, Laying and Termination of following cables with all required accessories and routing of CAT 6 Cable. DLINK CAT 6 CABELING UNARMoured with pvc pipe and accessories and installation.	01	Each		
62	RJ 45 Connectors with Crimping	01	Each		
63	4x4 standard quality Junction Box for installation of camera.	01	Each		

Special Conditions: -

- This quotation has been invited only to derives the rate of different items.
- The quotationer must put up their rate in numbers and words including GST, all other taxes and transportation expenditure to CNLU Campus.
- This NIQ will be available in <https://eproc2.bihar.gov.in> and <https://www.cnlu.ac.in>
- The undersigned may be contacted for any clarification in working hours on any working days.

REGISTRAR

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

Annexure

SPECIFICATION DETAILS

<i>Item No.</i>	<i>Item Description</i>	<i>Approved Brand</i>
1	Power plug wiring	Cable: RR Kabel / Polycab / KEI; Conduit: Supreme Industries / Polycab / Finolex or equivalent
2	40 W LED surface-mounted batten light	Philips Signify / Wipro / Havells or equivalent
3	35/40 W suspended LED luminaire	Philips Signify / Wipro / Havells or equivalent
4	1400 mm sweep ceiling fan	Crompton / Havells / Orient or equivalent
5	600 mm wall-mounted air circulator fan	Crompton / Havells / Orient or equivalent
6	1.5 TR, 5-Star BEE inverter split air conditioner	Blue Star / Voltas / Daikin or equivalent
7	6.4 mm OD copper refrigerant piping with insulation	RR Kabel / Hindalco / Mandev Tubes or equivalent
8	12.7 mm OD copper refrigerant piping with insulation	RR Kabel / Hindalco / Mandev Tubes or equivalent
9	3 × 4 sq.mm FRLS copper cable for AC	RR Kabel / Polycab / KEI or equivalent
10	6-module GI switch box with modular base/cover	Legrand / Schneider Electric / Hansel or equivalent
11	8-module GI switch box with modular base/cover	Legrand / Schneider Electric / Hansel or equivalent
12	12-module GI switch box with modular base/cover	Legrand / Schneider Electric / Hansel or equivalent
13	6-module modular base and cover plate on existing box	Legrand / Anchor by Panasonic / Havells or equivalent
14	8-module modular base and cover plate on existing box	Legrand / Anchor by Panasonic / Havells or equivalent
15	12-module modular base and cover plate on existing box	Legrand / Anchor by Panasonic / Havells or equivalent
16	2-way 5/6A modular switch	Legrand / Anchor by Panasonic / Havells or equivalent
17	15/16A modular switch	Legrand / Anchor by Panasonic / Havells or equivalent
18	3-pin 5/6A modular socket outlet	Legrand / Anchor by Panasonic / Havells or equivalent
19	6-pin 15/16A modular socket outlet	Legrand / Anchor by Panasonic / Havells or equivalent
20	AC box with 25A modular socket and 25A SP MCB	MCB: Schneider Electric / Siemens / Legrand or equivalent
21	LED RGB/RGBW facade floodlight/projector	Philips Signify / Wipro / Havells or equivalent
22	Floor-standing single-sided modular library storage rack – 370 mm deep	Featherlite, Godrej Interio, Wipro Furniture or equivalent
23	Floor-standing single-sided modular library storage rack – 700 mm deep	Featherlite, Godrej Interio, Wipro Furniture or equivalent

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

24	Magazine display/storage rack	Featherlite, Godrej Interio, Wipro Furniture or equivalent
25	Multipurpose storage rack	Featherlite, Godrej Interio, Wipro Furniture or equivalent
26	Curved Vivid bench-cum-library storage unit	Featherlite, Godrej Interio, Wipro Furniture or equivalent
27	Library reading/study chair with castors	Featherlite, Godrej Interio, Wipro Furniture or equivalent
28	Library/visitor chair with mesh back and sledge base	Featherlite, Godrej Interio, Wipro Furniture or equivalent
29	Library/study chair without cushion, stackable	Featherlite, Godrej Interio, Wipro Furniture or equivalent
30	High-seat library/study chair	Featherlite, Godrej Interio, Wipro Furniture or equivalent
31	Library/study chair without writing desk	Featherlite, Godrej Interio, Wipro Furniture or equivalent
32	Movable pouffe seating with integrated writing pad	Featherlite, Godrej Interio, Wipro Furniture or equivalent
33	Library/study chair with integrated writing desk/tablet	Featherlite, Godrej Interio, Wipro Furniture or equivalent
34	Three-seater sofa	Featherlite, Godrej Interio, Wipro Furniture or equivalent
35	Two-seater sofa	Featherlite, Godrej Interio, Wipro Furniture or equivalent
36	Single-seater sofa	Featherlite, Godrej Interio, Wipro Furniture or equivalent
37	Medium-back office/library chair	Featherlite, Godrej Interio, Wipro Furniture or equivalent
38	Single-seater workstation with screen	Featherlite, Godrej Interio, Wipro Furniture or equivalent
39	Double-seater linear workstation	Featherlite, Godrej Interio, Wipro Furniture or equivalent
40	Back-to-back/shared workstation with screen	Featherlite, Godrej Interio, Wipro Furniture or equivalent
41	Double-seater shared workstation with screen	Featherlite, Godrej Interio, Wipro Furniture or equivalent
42	Single-seater office workstation with cubicle screen/partition	Featherlite, Godrej Interio, Wipro Furniture or equivalent
43	Trapezoidal table 1350 × 585 × 750 mm	Featherlite, Godrej Interio, Wipro Furniture or equivalent
44	Trapezoidal table 1350 × 585 × 750 mm	Featherlite, Godrej Interio, Wipro Furniture or equivalent
45	Centre table with solid wood legs, 1050 × 525 × 450 mm	Featherlite, Godrej Interio, Wipro Furniture or equivalent
46	Staggered/zig-zag type modular workstation	Featherlite, Godrej Interio, Wipro Furniture or equivalent
47	Elite executive cabin table / L-shaped cabin table	Featherlite, Godrej Interio, Wipro Furniture or equivalent

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlu.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

48	Synergy centre table 1800 × 600 × 750 mm	Featherlite, Godrej Interio, Wipro Furniture or equivalent
49	Synergy centre table 1200 × 600 × 750 mm	Featherlite, Godrej Interio, Wipro Furniture or equivalent
50	Switch angular high table 1500 × 800 × 1050 mm	Featherlite, Godrej Interio, Wipro Furniture or equivalent
51	Glass railing with laminated safety glass and teakwood handrail	Glass: Saint-Gobain / Asahi / Gold Plus Glass; SS 304 hardware; teakwood approved quality or equivalent
52	12 mm multiwall/multicell UV-protected polycarbonate roofing	Danpalon / Lexan / Polygal or equivalent
53	G.I. frame for HPL cladding	Jindal / Tata / APL Apollo or equivalent
54	12 mm compact HPL sheet/panel	Greenlam / Merino / Century or equivalent
55	SS 304 mosquito/insect mesh with aluminium frame	SS 304 mesh: Phifer or equivalent; Aluminium: Jindal Aluminium / Hindalco Eternia or equivalent
56	Frameless glass partition with glass doors and SS patch fittings	Glass: Saint-Gobain / Asahi / Gold Plus Glass or equivalent; Aluminium: Jindal Aluminium / Hindalco Eternia or equivalent
57	45 mm solid-core flush door with 1.2 mm HPL finish – D07/D08/D13	Flush door: Century / Greenply / Archidply or equivalent; HPL: Greenlam / Merino / Century or equivalent
58	45 mm solid-core flush door with HPL finish in HPL partition framework – D14	Flush door: Century / Greenply / Archidply or equivalent; HPL: Greenlam / Merino / Century or equivalent
59	45 mm solid-core flush door with HPL finish, 2 operable shutters + 2 fixed HPL panels – D08	Flush door: Century / Greenply / Archidply or equivalent; HPL: Greenlam / Merino / Century or equivalent
60	11.52 mm laminated safety glass door with aluminium frame – D03/D06	Glass: Saint-Gobain / Asahi / Gold Plus Glass or equivalent; Aluminium: Jindal Aluminium / Hindalco Eternia or equivalent
61	11.52 mm laminated safety glass door with 2 operable shutters + 2 fixed panels – D11	Glass: Saint-Gobain / Asahi / Gold Plus Glass or equivalent; Aluminium: Jindal Aluminium / Hindalco Eternia or equivalent
62	30 W LED track light with complete track mounting system	Philips Signify / Wipro / Havells or equivalent
63	12 ft diameter HVLS fan	Mount Air Ventilation Engineers / Austar Technologies or equivalent
64	600 mm turbo roof ventilator	Simpovent / Airwell Systems / Air Roof Ventilators (ARV) or equivalent
65	4.5 kg CO ₂ fire extinguisher	Ceasefire / Kanex / Safex or equivalent
66	6 kg ABC fire extinguisher	Ceasefire / Kanex / Safex or equivalent

Chanakya National Law University

Nyaya Nagar, Mithapur, Patna-800001, Tel. No. +91-612-2352300, Fax No. : +91 -612-2352315

Website: <https://www.cnlul.ac.in>, E-mail: registrar@cnlu.ac.in

NIQ No. 40/2026-27

Date: 09.09.2026

67	2 MP IP motorized varifocal bullet CCTV camera	Prama India / Honeywell / Sparsh or equivalent
68	32-channel NVR	Prama India / Honeywell / Sparsh or equivalent
69	6 TB surveillance storage HDD	Seagate SkyHawk / Western Digital Purple / Toshiba S300 or equivalent
70	16-port PoE network switch	TP-Link / D-Link / Netgear / Hikvision or equivalent
71	Networking rack with accessories	D-Link / NetRack / Valrack or equivalent
72	43-inch LED monitoring display	LG / Samsung / Sony or equivalent
73	4G/Wi-Fi modem/router	D-Link / HFCL / Tejas Network or equivalent
74	CAT-6 network cable	D-Link / CommScope / Polycab or equivalent
75	CCTV camera installation with accessories	Prama India / Honeywell / Sparsh or equivalent
76	NVR configuration and commissioning	Prama India / Honeywell / Sparsh or equivalent
77	RJ45 connectors	D-Link / CommScope / Polycab or equivalent
78	Arena 12-seater integrated discussion/workspace seating	Featherlite, Godrej Interio, Wipro Furniture or equivalent
79	Arena media/AV unit 1860 × 460 × 1500 mm	Featherlite, Godrej Interio, Wipro Furniture or equivalent
80	Brisk rectangular laptop table 550 × 450 × 675 mm	Featherlite, Godrej Interio, Wipro Furniture or equivalent
81	Writable/whiteboard glass partition system	Glass: Saint-Gobain / Asahi / Gold Plus Glass or equivalent Aluminium: Jindal Aluminium / Hindalco Eternia / Fenesta Building Systems or equivalent

**REGISTRAR
CNLU, PATNA**